

NTWcall

Attendant Console

NTFW®

ADVANTAGES

- Keyboard shortcuts for call attendant functionalities
- Caller display / reverse number lookup
- Intelligent call prioritisation
- Queue and agent overlapping load balancing
- Clearly arranged LiveMonitor
- Presence/Messaging/Calendar functions
- Integrated AbA and Voice Recording
- Optional interfaces to CRM- and SAP-solutions
- "Supervisor" function
- Integration Plantronics Headsets
- High Availability

Operate on success

NTWcall provides an attendant console for companies which flexibly and reliably supports call operating, be it as a single-user or multi-client system. The solution has no limit as to how many agents may be logged on at the same time. The additional, queue-independent calendar and holiday control allows an optimal centralisation of call operating tasks in the company – even spanning multiple domestic and international sites.

Automatic call routing with skill-based caller distribution

Queued calls are ranked by an individual scoring system. At the same time, agent-skill assignments allow each caller to be transferred to the most suitable, free agent across all queues. The integrated AbA functionality allows easy uploading of audio files and configuring them for a selected queue.


Customised attendant interface

The interface can be individually customised to match the operating tasks and the agent's preferences while always staying clear and easy-to-use. The versatile-but-simple search functionality allow fast transferring to the correct contact.

Call	Extension	Target	Waiting time	Int/E# P(L)	Call	Extension	Target	Waiting time	Int/E# P(L)
2	58	78	43 s	int 1.1	1	31	79	46 s	int 1.1
4	24	78	23 s	int 1.1	3	34	79	35 s	int 1.1
					5	22	79	17 s	int 1.1

Picture	Jabber/TAPI Extension	First name	Last name	E-mail	Abteilung	Jabber Notes
	30	Alexander	Johnson	Alexander.Johnson@ntw-software.com	Sales	
	31	Anna	Boder	Anna.Boder@ntw-software.com	Sales	
	27	Austin	Powers	Austin.Powers@ntw-software.com	Sales	
	33	Betty	Peterson	Betty.Peterson@ntw-software.com	Marketing	
	59	Cheryl	Hoffman	Cheryl.Hoffman@ntw-software.com	Support	
	22	Clara	Bush	Clara.Bush@ntw-software.com	Marketing	
	57	Collier	Brynn	Collier.Brynn@ntw-software.com	Support	
	21	Frank	Slayer	Frank.Slayer@ntw-software.com	Sales	
	26	Georg	Romney	Georg.Romney@ntw-software.com	Sales	
	34	John	Meyer	John.Meyer@ntw-software.com	Marketing	
	24	Larry	Truman	Larry.Truman@ntw-software.com	Support	


Attendant Console NTWcall with busy lamp field (BLF)




Search function in attendant console NTWcall

Integrated presence statuses

Integrated presence statuses offer a maximum overview of the phone status (Cisco IP-Phone, Cisco Softphone), the current presence status (WebexApp, Cisco Jabber, Microsoft Teams) and support a clear time recording and organisation of appointments via calendar availability and preview of upcoming appointments (Exchange OnPremise or O365). Thanks to modern message functionalities call back requests or calendar entries can be easily transmitted via various channels. Call notes for instance can be transmitted via eMail using a template which will be populated with the caller information automatically.



Mail message directly from Attendant Console



Contact:

Germany

Munich

NTW Software GmbH
Max-Planck-Str. 4
85609 Munich-Dornach

Frankfurt

NTW Software GmbH
Waldstraße 94
63128 Dietzenbach

Austria

NTW Software GmbH
Grabenweg 68
6020 Innsbruck

contact@ntw-software.com

www.ntw-software.com

Keep control of your attendant console with LiveMonitor

Cisco Attendant Console with complete overview and control

Thanks to the NTW LiveMonitor, the service level stays under maximum control with different views and integrated alarming. NTW's additional call and attendant statistics provide comprehensive support for quality management.

Flexible usage

- As single-user or for multiple sites/clients
- In network, as hosting or cloud solution
- Independently from device or operating system: Cisco phone, browser, Windows client

Prerequisites

Hardware

4 CPUs (Cores)
8 GB RAM
Gigabit-/Fast-Ethernet network interface card
120 GB hard disk for installation
Virtualization supported (VMware & HyperV)

Software

Microsoft Windows 2019 or 2016
NTWcall Base

ITC system

Cisco Unified Communications Manager 10.x (and higher)

Phones

Cisco IP Phone Series 6900, 7800, 7900, 8800, 8900, 9900, DX Series, Jabber and Cisco IP Communicator



NTWcall is tested and certified for
Cisco CUCM 11.x

Compatible